

# **EONS Autumn Newsletter 2009**

## **Reference List for Features**

## Defining the role of the breast care nurse

Saskia Claassen, pp 10, 11

### References:

1. Maguire, P., et al., *Effect of counselling on the psychiatric morbidity associated with mastectomy*. Br Med J, 1980. **281**(6253): p. 1454-6.
2. Ritz, L.J., et al., *Effects of advanced nursing care on quality of life and cost outcomes of women diagnosed with breast cancer*. Oncol Nurs Forum, 2000. **27**(6): p. 923-32.
3. Liebert, B., et al., *An evidence-based specialist breast nurse role in practice: a multicentre implementation study*. Eur J Cancer Care (Engl), 2003. **12**(1): p. 91-7.
4. Watson, M., et al., *Counselling Breast Cancer Patients: a specialist nurse service*. Counselling Psychology Quarterly, 1988. **1**(1): p. 25-33.
5. McArdle, J.M., et al., *Psychological support for patients undergoing breast cancer surgery: a randomised study*. Bmj, 1996. **312**(7034): p. 813-6.
6. Wengström, Y., C. Häggmark, and C. Forsberg, *Coping with radiation therapy: Effects of a nursing intervention on coping ability for women with breast cancer*. International Journal of Nursing Practice, 2001. **7**: p. 8-15.
7. Haward, R., Amir, Z., Borrill, C., Dawson, J., Scully, J., West, M., and Sainsbury, R. 2003. *Breast cancer teams: the impact of constitution, new cancer workload, and methods of operation on their effectiveness*. Br J Cancer 89:15-22.
8. Cataliotti, L., et al., *Guidelines on the standards for the training of specialised health professionals dealing with breast cancer*. Eur J Cancer, 2007.
9. Strong, V., et al., *Management of depression for people with cancer (SMaRT oncology 1): a randomised trial*. Lancet, 2008. **372**(9632): p. 40-8.
10. Arving, C., et al., *Satisfaction, utilisation and perceived benefit of individual psychosocial support for breast cancer patients--a randomised study of nurse versus psychologist interventions*. Patient Educ Couns, 2006. **62**(2): p. 235-43.

## Five ways we can do better for patients with metastatic disease

Elizabeth Reed and Dora Wheeler, pp 12, 15

### References:

1. Compagnoni ML, et al (2008) Trastuzumab Containing Regimes for Metastatic Breast Cancer (protocol). The Cochrane Collaboration. UK. John Wiley & Sons Ltd.
2. Conlin, AK, Seidman, AD (2008) Beyond cytotoxic chemotherapy for first line treatment of HER2-negative, hormone-insensitive metastatic breast cancer: current status and future opportunities. *Clinical Breast Cancer* 8: 215-223.
3. Pavlakis N, Schmidt RL, Stockler MR. (2005) Bisphosphonates for breast cancer. *Cochrane Database of Systematic Reviews*, Issue 3. Art. No: CD003474. DOI: 10.1002/14651858.CD003474.pub2,
4. Davies M, Sque, M (2002) Living on the outside looking in: a theory of living with advanced breast cancer. *International Journal of Palliative Nursing* 8: 583-590.
5. Smith I, Chua S (2006) Role of systemic treatment of primary operable breast cancer. In M Dixon, ed. *ABC of Breast Diseases*. Third edition. Malden UK. Blackwell Publishing Limited, Ch 2.
6. Johnston SRD (2006) Endocrine therapy for advanced disease. In Johnston SRD and Swanton C, eds. *Handbook of Metastatic Breast Cancer*. Oxon, UK. Informa Healthcare.
7. Maddams J, Moller H, and Devane C. (2008) Cancer prevalence in the UK, [http://www.thames-cancerreg.org.uk/news/uk\\_prevalence\\_14072008.pdf](http://www.thames-cancerreg.org.uk/news/uk_prevalence_14072008.pdf) Thames Cancer Registry and Macmillan Cancer Support.
8. Aranda S, Milne D, Osmond F (2002) Breast Care Nurses Database Evaluation Report. Victorian Centre for Nursing Practice research.
9. Bender et al (2005) Symptom clusters in breast cancer across 3 phases of the disease. *Cancer Nursing*: May/June 2005 - Volume 28 - Issue 3 - p 219-225.
10. Hopwood P, Howell A, Maguire P (1991) Psychiatric morbidity in patients with advanced cancer of the breast: prevalence measured by two self-rating questionnaires. *British Journal of Cancer*, Aug:64(2):349-352.
11. Breakthrough Breast Cancer, Breast Cancer Care, Royal College of Nursing (2007) Survey of breast care nurses.
12. Cella D F.; Mahon, S M.; Donovan, M I. ( Spr 1990) Cancer recurrence as a traumatic event. *Behavioral Medicine*. Vol 16(1), Spr 1990, 15-22.
13. Gray RD et al (1998) Information needs of women with metastatic breast cancer. *Cancer Prev Control*. Apr: 2(2):57-62.

14. Butler et al (1999) Traumatic stress, life events, and emotional support in women with metastatic breast cancer: cancer-related traumatic stress symptoms associated with past and current stressors. *Health Psychology*. Nov:18(6):555-60.
15. Sharpe L (2005) The relationship between available support, unmet needs and caregiver burden in patients with advanced cancer and their carers. *Psycho-Oncology*, Volume 14, issue 2: 102-114.
16. Grunfeld E (2004) Family caregiver burden: results of a longitudinal study of breast cancer patients and their principal caregivers. *Canadian Medical Association Journal*. June 8,170,12:1795-1801.
17. Gagnon B, Mayo NE, Hanley J, Macdonald N. (2004) Patterns of care at the end of life: does age make a difference in what happens to women with breast cancer? *Journal of Clinical Oncology*.; Volume 22: Number 17, Sept1, 3458-3465.
18. Breast Cancer Care (2008) Improving the care of people with metastatic breast cancer. Final report.
19. Breast Cancer Care (2008) Metastatic breast cancer: A supportive tool for primary care teams.

## **Boosting Adherence to Adjuvant Endocrine Therapies**

Yvonne Wengström, pp 16, 17

### References:

1. Atkins L, Fallowfield L. Intentional and non-intentional non-adherence to medication amongst breast cancer patients. *Eur J Cancer* 2006; 42: 2271-6.
2. Deber R, Kraetschmer N, Urowitz S, Sharpe N. Do people want to be autonomous patients? Preferred roles in treatment decision making in several patient populations. *Health Expect* 2007; 10: 248-58.
3. Mandelblatt JS, Hadley J, Kerner JF, Schulman KA, Gold K, Dunmore-Griffith J, et al. Patterns of breast carcinoma treatment in older women. Patient preference and clinical and physical influences. *Cancer* 2000; 89: 561-73.
4. Kahn KL, Schneider EC, Malin JL, Adams JL, Epstein AM. Patient centered experiences in breast cancer. Predicting long-term adherence to Tamoxifen use. *Med Care* 2007; 45: 431-9.
5. Wengström Y. Are women with breast cancer receiving sufficient education and information about their treatment? *Nat Clin Pract Oncol* 2008; 5: 62-3.
6. Oskay-Ozcelik G, Lehmacher W, Könsgen D, Christ H, Kaufmann M, Lichtenegger W, et al. Breast cancer patients' expectations in respect of the physician-patient relationship and treatment management results of a survey of 617 patients. *Ann Oncol* 2007; 18: 479-84.
7. Grunfeld EA, Hunter MS, Sikka P, Mittal S. Adherence beliefs among breast cancer patients taking Tamoxifen. *Patient Educ Couns* 2005; 59: 97-102.
8. Hanyes RSP, Taylor DW, Sackett DL. Compliance in health care. Baltimore: Johns Hopkins University Press; 1979.
9. McDonald HP, Garg AX, Haynes RB. Interventions to enhance patient adherence to medication prescriptions: scientific review. *J Am Med Assoc* 2002; 288: 2868-79.
10. Fenlon D, Corner J, and Haviland J. (2009) Menopausal hot flushes after breast cancer. *European Journal of Cancer Care* 18: 140-148.
11. Horne R. Compliance, adherence and concordance. *Chest* 2006; 130: 65S-72S.
12. Fellowes D, Fallowfield LJ, Saunders CM, Houghton J. Tolerability of hormone therapies for breast cancer: how informative are documented symptom profiles in medical notes for 'well-tolerated' treatments? *Breast Cancer Res Treat* 2001; 66: 73-81.

## How to engage with hard-to-reach groups in the UK

Emma Blows et al, pp 18, 20

### References:

1. Department of Health (2007) Cancer Reform Strategy.
2. Blows, E., Scanlon, K., Richardson, A. & Ream, E. (2007) 'Better Access Better Services Project: Meeting the information needs of UK breast cancer patients from hard-to-reach groups – a review of current literature', Breast Cancer Care/King's College London.
3. Luker, K.A., Beaver, K., Leinster, S.J., & Owens, R.G. (1996) 'Information needs and sources of information for women with Breast Cancer: a follow up study' in *Journal of Advanced Nursing*, 23: 487-495.
4. Rees, C. E. & Bath, P.A. (2000a) 'The information needs and source preferences of women with breast cancer and their family members: a review of the literature published between 1988 and 1998' in *Journal of Advanced Nursing*, 31 (4): 833-841.
5. Vivar, C. & McQueen, A. (2005) 'Informational and emotional needs of long-term survivors of breast cancer' in *Journal of Advanced Nursing*, 51 (5): 520-528.
6. Rees, C. E. & Bath, P.A. (2000b) 'Mass Media Sources for Breast Cancer Information: Their Advantages & Disadvantages for women with the disease' in *Journal of Documentation*, 56 (3): 235-249.
7. Rozmovits, L. & Ziebland, S. (2004) 'What do patients with prostate or breast cancer want from an internet site? A qualitative study of information needs' in *Patient Education & Counseling*, 53: 57-64.
8. Rees, C. E. & Bath, P.A. (2001) 'Information-seeking behaviors of women with Breast Cancer' in *Oncology Nursing Forum*, 28 (5): 899-907.
9. Mills, M. E., & Sullivan, K. (1999) 'The importance of information giving for patients newly diagnosed with cancer: a review of the literature' in *Journal of Clinical Nursing*, 8: 631-642.
10. Watts, T., Merrell, J., Murphy, F. & Williams, A. (2004) 'Breast health information needs of women from minority ethnic groups' in *Journal of Advanced Nursing*, 47 (5): 526-535.
11. Muthu Kumar, D., Symonds, R.P., Sundar, S., Ibrahim, K., Savelyich, B.S.P., & Miller, E. (2004) 'Information needs of Asian and White British cancer patients and their families in Leicestershire: a cross-sectional survey' in *British Journal of Cancer*, 90: 1474-1478.
12. Silliman, R., Dukes, K.A., Sullivan, L.M., & Kaplan, S.H. (1998) 'Breast cancer care in older women: Sources of information, social support, and emotional health outcomes' in *Cancer*, 83: 706-711.

13. Leydon, G.M., Boulton, M., Moynihan, C., Jones, A., Mossman, J., Boudioni, M. & McPherson, K. (2000) 'Cancer patients' information needs and information seeking behavior: in depth interview study' in *BMJ*, 320 (7239): 909-913.
14. Maly, R.C., Leake, B., & Silliman, R.A. (2004) 'Breast cancer treatment in older women: impact of the patient-physician interaction' in *Journal of the American Geriatrics Society*, 52: 1138-1145.

## **The breast care nurse: a very 21st century concept**

Manuela Eicher, pp 21, 23

### References:

1. World Health Organization. (2005). Preparing a health workforce for the 21st century: The challenges of chronic conditions: World Health Organisation.
2. Pruitt, S. D., & Epping-Jordan, J. E. (2005). Preparing the 21st century global healthcare workforce. *BMJ*, 330(7492), 637-639.
3. Fleissig, A., Jenkins, V., Catt, S., & Fallowfield, L. (2006). Multidisciplinary teams in cancer care: Are they effective in the UK? *Lancet Oncol*, 7(11), 935-943.
4. EUSOMA. (2000). The requirements of a specialist breast unit. *Eur J Cancer*, 36(18), 2288-2293.
5. Eicher, M. R., Marquard, S., & Aebi, S. (2006). A nurse is a nurse? A systematic review of the effectiveness of specialised nursing in breast cancer. *Eur J Cancer*, 42(18), 3117-3126.

## The triple negative phenotype

Kay Townsend, pp 24, 25

### References:

1. Sorlie T, Tibshirani R, Parker J et al. Repeated observation of breast tumor subtypes in independent gene expression data sets. *Proc. Natl Acad. Sci. U. S. A.* 2003; 100; 8418–8423.
2. Rakha, E. A., Tan, D. S. P., Foulkes, W. D., Ellis, I. O., Tutt, A., Nielsen, T. O., Reis-Filho, J. (2007) Are triple-negative tumours and basal-like breast cancer synonymous? *Breast Cancer Research*, 2007, 9:404.
3. Aebi, S., and Pagani, O., Treatment of premenopausal women with early breast cancer: old challenges and new opportunities, *Drugs* **67** (2007), pp. 1393–1401.
4. Berry D. A., Cirincione C., Henderson I. C., Citron M.L., Budman D. R., Goldstein L. J., Martino S., Perez E. A., Muss H. B., Norton L., Hudis C., Winer E.P. (2006) Estrogen-Receptor Status and Outcomes of Modern Chemotherapy for Patients With Node-Positive Breast Cancer *JAMA*. 2006;295:1658-1667.
5. Reis-Filho, J., Tutt, A.(2008) Triple negative tumours: a critical review *Histopathology* 2008, 52, 108–118.
6. National Institute for Health and Clinical Excellence (2008) Bevacizumab for the first-line treatment of metastatic breast cancer (terminated appraisal) NICE technology appraisal 147.
7. Lyman, G., Edge, S. B., Theriault, R> L., Ward, J. H. (2008) NCCN Clinical Practice Guidelines in Oncology Symposium: Breast Cancer Available at: <http://cme.medscape.com/viewarticle/584536> (Accessed 20th May 2009).

## **Training and education: setting the standards for the next generation**

Ilana Kadmon, pp 26, 27

### References:

1. Maguire P. Tait A. Brooke M. and Sellwood R. (1980) Planning a caring programme, *Nursing Mirror*, 17th Jan. 1980, 35-37.
2. Denton S. (1988) The Role of the Nurse Counsellor, in: Baum M. (ed.) *Breast Cancer – the Facts*, Oxford University Press, Oxford, 96-103.
3. Watson M. Denton S. Baum M. and Greer S. (1988) Counselling breast cancer patients: a specialist nurse service, *Counselling Psychology Quarterly*, 1(1), 25-34.
4. Denton S. (1991) A commitment to quality care, *Nursing Standard*, 6(10), 50.
5. White K. and Wilkes I. (1998) Describing the role of the breast nurse in Australia, *European Journal of Oncology Nursing*, 2(2), 89-98.
6. Wilkes I. Beale B. Cole R. and Tracy S. (1999) Supportive care for women with breast cancer: Australian nurses' perspective, *Nursing and Health Sciences*, 1, 71-76.
7. Horden A. (2000) The emerging role of the breast cancer nurse in Australia, *Cancer Nursing*, 23(2), 122-127.
8. Kadmon, I. (2008) The Role of the Breast Cancer Nurse Specialist (Commentary) in: Jacobs L (ed.) *Coping with Cancer*, Nova Science Publishers, NY, 2008.
9. Amir Z. Scully J. and Borrill C. (2004) The professional role of breast cancer nurses in multi-disciplinary breast cancer care teams, *European Journal of Oncology Nursing*, 8, 306-314.
10. Burnet K. Chapman D. Wishart G. and Purushotham A. (2004) Nurse Specialists in breast care: developing role, *Nursing Standard*, 18(5), 38-42.

## **Minimising the risk of lymphoedema**

Mary Woods, pp 28, 30

### References:

1. Mortimer P., Bates D., Brassington H., Stanton A., Strachan D., Levick J. (1996) The prevalence of arm oedema following treatment of breast cancer. *Quarterly Journal of Medicine* 89:377-380.
2. Mondry T., Johnstone P. (2002) Manual lymphatic drainage for lymphoedema limited to the breast. *Journal of Surgical Oncology* 81: 101-104.
3. International Society of Lymphology (2000) The diagnosis and treatment of peripheral lymphoedema. Consensus document of the International Society of Lymphology. *Lymphology* 36 (2) 84-91.
4. Foldi E., Foldi M. (2003) Lymphostatic diseases. In: M. Foldi, E. Foldi and S. Kubik (eds) *Textbook of Lymphology for Physicians and Lymphoedema Therapists*. Urban and Fischer, Germany pp 232-319.
5. Armer J. Radina M., Porock D., Culbertson S. (2003) Predicting breast cancer related lymphedema using self-reported symptoms. *Nursing Research* 52 (6) 370-379.
6. Moffatt C. Franks P., Doherty D., Williams A., Badger C., Jeffs E., Bosanquet N., Mortimer P. (2003) Lymphoedema an underestimated problem *Quarterly Journal of Medicine* 96 (10) 731-738.
7. Deo S., Ray S., Rath G. Shukla N., Kar M., Asthana S., Raina V. (2004) Prevalence and risk factors for the development of lymphoedema following breast cancer *Indian Journal of Cancer* Vol 41 (1) pp8-12.
8. Armer J. Fui M. (2005) Age differences in post-breast cancer lymphoedema signs and symptoms *Cancer Nursing Volume* 28(3) pp 200-207.
9. Lawenda (2009) Lymphedema: A primer on the identification and management of a chronic condition in oncologic treatment. *CA: A Cancer Journal for Clinicians* 59 (1) 8-24.
10. Piller N. (1999) Gaining an accurate assessment of the stages of lymphoedema subsequent to cancer: the role of objective and subjective information when to make measurements and their optimal use. *European Journal of Lymphology* 7 (25) 1-9.
11. Campisi C, Davini D, Bellini C, et al (2006) Is there a role for microsurgery in the prevention of arm lymphedema secondary to breast cancer treatment? *Microsurgery* 26:70-72.
12. Dougherty L, Lister S (2008) (Eds) *Compression therapy in the management of lymphoedema in the Royal Marsden Hospital*

Manual of Clinical Nursing Procedures Chap 9, 7th Edition Wiley-Blackwell pp 169-186.