

Cancer diagnosis in young people – what do we know now?, pp. 18-21

Lorna Fern, National Cancer Research Institute Teenage and Young Adult Clinical Studies Group, Department of Oncology, University College London Hospitals, London NW1 2PG, UK

References:

1. Gatta, G., et al., *Survival of European children and young adults with cancer diagnosed 1995-2002*. Eur J Cancer, 2009, **45**(6): 992-1005.
2. Fern, L., et al., *Rates of inclusion of teenagers and young adults in England into National Cancer Research Network clinical trials: Report from the National Cancer Research Institute (NCRI) Teenage and Young Adult Clinical Studies Development Group*. Br J Cancer, 2008, **99**(12): 1967-74.
3. Lethaby, C.D., et al., *A systematic review of time to diagnosis in children and young adults with cancer*. Arch Dis Child, 2013, **98**(5): 349-55.
4. <http://www.bbc.co.uk/newsbeat/24516747>. *A&E departments diagnose one third of teenage cancer*. BBC Newsbeat 2013, 23/10/2013.
5. Fern, L.A, Ashton, J., Broonan, K., Irving, C., Millington, H., Starkey, C., Wright, D., and Whelan, J., *Involving young people with cancer in research. The National Cancer Research Institute's Teenage and Young Adult (TYA) Core Consumer Group (CCG) – a new and evolving model*. In National Cancer Research Institute International Conference, 2009, Birmingham.
6. Neal, R.D., *Do diagnostic delays in cancer matter?* Br J Can, 2009, **101** (Suppl 2): S9-S12.
7. Weller, D., et al., *The Aarhus statement: improving design and reporting of studies on early cancer diagnosis*. Br J Can, 2012, **106**(7): 1262-7.
8. Walter, F., et al., *The Andersen Model of Total Patient Delay: a systematic review of its application in cancer diagnosis*. J Health Serv Res Policy, 2012, **17**(2): 110-8.
9. Kyle, R.G., Forbat L., and Hubbard G., *Cancer awareness among adolescents in Britain: a cross-sectional study*. BMC Public Health, 2012, **12**: 580.
10. Lyratzopoulos, G., et al., *Measures of promptness of cancer diagnosis in primary care: secondary analysis of national audit data on patients with 18 common and rarer cancers*. Br J Can, 2013, **108**(3): 686-90.
11. Lyratzopoulos, G., et al., *Variation in number of general practitioner consultations before hospital referral for cancer: findings from the 2010 National Cancer Patient Experience Survey in England*. Lancet Oncol, 2012, **13**(4): 353-65.
12. Dommett, R.M., et al., *Features of childhood cancer in primary care: a population-based nested case-control study*. Br J Can, 2012, **106**(5): 982-7.
13. Dommett, R.M., et al., *Features of cancer in teenagers and young adults in primary care: a population-based nested case-control study*. Br J Can, 2013, **108**(11): 2329-33.
14. Dommett, R.M., et al., *Risk of childhood cancer with symptoms in primary care: a population-based case-control study*. Br J Gen Pract, 2013, **63**(606): e22-9.

15. Hamilton, W., *The CAPER studies: five case-control studies aimed at identifying and quantifying the risk of cancer in symptomatic primary care patients*. Br J Can, 2009, **101** (Suppl 2): S80-6.
16. Network, N.C.I., *Routes to cancer diagnosis: investigating the different pathways for cancer referrals in children, teenagers and young adults*, 2013.
17. Fern, L.A., et al., *Why can't we improve the timeliness of cancer diagnosis in children, teenagers, and young adults?* BMJ, 2013, **347**: f6493.

Nurses' role in robotic surgery, pp. 22-24

Danuta Lichosik, Chiara Arnaboldi, Davide Astolfi, Rosario Caruso and Massimiliano Granata

European Institute of Oncology , Milan, Italy

References:

1. *Perioperative Standards and Recommended Practices*, 2010. AORN, Denver, CO.
2. Stanton, C., *Robotics a new addition to SA*. AORN Connect, 2009, **7**(5):12. <http://www.aorn.org/News/May2009News/MLRSA>.
3. Resin, S., Firat, O., and Sozbilen, M., *Single-incision laparoscopic cholecystectomy: is it more than a challenge?* Surg Endosc, 2010, **24**(6):68-71.
4. Kruglikova, I., Grantcharov, T.P., Drewes, A.M., and Funch-Jensen, P., *Assessment of early learning curves among nurses and physicians using a high-fidelity virtual-reality colonoscopy simulator*. Surg Endosc, 2010, **24**(2):366-70.
5. Cabello, J.M., Bhayani, S.B., Figenshau, R.S., and Benway, B.M., *Camera and trocar placement for robot-assisted radical and partial nephrectomy: which configuration provides optimal visualization and instrument mobility?* J Robotic Surg, 2009, **3**(8):155-9.
6. Phillips, N.M., *Berry and Kohn's Operating Room Technique*, 2007. 11th edn. Elsevier, St Louis, MO.
7. Protocols and procedures, European Institute of Oncology, Operating theatre, 2007-2013.
8. Kaul, S., Shah, N.L., and Menon, M., *Learning curve using robotic surgery*. Curr Urol Rep, 2006, **7**(2):125-9.
9. Allgower, C.E., Schreuder, A.N., Farr, J.B., and Mascia, A.E., *The robotic revolution: advancing laparoscopy and urology further into the future*. Contemp Urol. 2006, **18**(10):28,30,32.
10. Sim, H.G., Yip, S.K.H., and Cheng, C.W.S., *Equipment and technology in surgical robotics*. World J Urol, 2006, **24**(2):128-35.
11. Le, C.Q., and Gettman, M.T., *Laparoscopic and robotic radical prostatectomy*. Expert Rev Anticancer Ther, 2006, **6**(7):1003-11.
12. Kumar, R., and Hemal, A.K., *The "scrubbed surgeon" in robotic surgery*. World J Urol, 2006, **24**(4):144-7.
13. Francis, P., *Evolution of robotics in surgery and implementing a perioperative robotics nurse specialist role*. AORN J, 2006, **83**(3):630-50.

Together we are better: Improving cancer care through shared working,
pp. 25-26

Janice P. Richmond¹ and Terry Hanan²

¹Advanced Nurse Practitioner, Oncology, Letterkenny General Hospital, Co. Donegal, Ireland and ²Nursing Development Coordinator, National Cancer Control Programme, Kings Inn House, 200 Parnell Street, Dublin 1, Ireland

References:

1. National Cancer Registry in Ireland, *Cancer in Ireland 2011, Annual report of the National Cancer Registry*. National Cancer Registry, Cork.
2. National Cancer Forum, *A Strategy for Cancer Control in Ireland*, 2006. The Stationary Office, Dublin.
3. National Cancer Control Programme, *Community Oncology Nursing Programme. Policies, Procedures and Resource Book*, 2011. National Cancer Control Programme, Dublin.
4. National Cancer Control Programme, *Evaluation of the Community Oncology Nursing Programme: A Pilot Study between the National Cancer Control Programme, the Office of the HSE Nursing and Midwifery Directorate the Medical Oncology Service in Letterkenny General Hospital, and the Community Nursing Service in Co. Donegal*, 2013. National Cancer Control Programme, Dublin.
5. National Cancer Control Programme, *A Strategy and Educational Framework for Nurses Caring for People with Cancer in Ireland*, 2012. The Health Service Executive, Dublin.

Smart diagnosis: New technologies bring supportive cancer care up to date, pp. 27-28

S. Kaasa^{1,2} K. Sand¹ and S.X. Raj^{1,2}

¹European Palliative Care Research Centre (PRC), Dept of Cancer Research and Molecular Medicine, Norwegian University of Science and Technology and ²St Olavs Hospital, Trondheim University Hospital

References:

1. Laugsand, E.A., Kaasa, S., de Conno, F., Hanks, G., and Klepstad, P., *Intensity and treatment of symptoms in 3,030 palliative care patients: a cross-sectional survey of the EAPC Research Network*. J Opioid Mgmt, 2009, **5**(1):11-21.
2. van den Beuken-van Everdingen, M.H., de Rijke, J.M., Kessels, A.G., Schouten, H.C., van Kleef, M., and Patijn, J., *Prevalence of pain in patients with cancer: a systematic review of the past 40 years*. Ann Oncol, 2007, **18**(9):1437-49.

3. Fearon, K., *Cancer cachexia: developing multimodal therapy for a multidimensional problem*. Eur J Can, 2008, **44**(8):1124-32.
4. Stiefel, F., Die Trill, M., Berney, A., Olarte, J.M., and Razavi, A., *Depression in palliative care: a pragmatic report from the Expert Working Group of the European Association for Palliative Care*. Support Care Can, 2001, **9**(7):477-88.
5. Deandrea, S., Montanari, M., Moja, L., and Apolone, G., *Prevalence of undertreatment in cancer pain. A review of published literature*. Ann Oncol, 2008, **19**(12):1985-91.
6. Holtan, A., Aass, N., Nordoy, T., Haugen, D.F., Kaasa, S., Mohr, W., et al., *Prevalence of pain in hospitalised cancer patients in Norway: a national survey*. Palliat Med, 2007, **21**(1):7-13.
7. Sharpe, M., Strong, V., Allen, K., Rush, R., Postma, K., Tulloh, A., et al., *Major depression in outpatients attending a regional cancer centre: screening and unmet treatment needs*. Br J Can, 2004, **90**(2):314-20.